

**3M™ Perfect-It™ 3000 Ultrafina™ SE
Swirl Eliminator
06068/60-4300-4993-6 (qt)
06069/60-4300-4994-4 (gal)
06073/60-4300-5030-6 (55 gal)
06074/60-4300-5035-5 (pint)
60-4401-0071-1 (squeeze bottle)**

- Swirl Eliminator quickly and effectively **REMOVES** fine machine polish swirls
- Produces a swirl-free finish, even on black vehicles.
- Good handling with excellent cleanup.
- For use after machine polish step

Front Panel

**WARNING! VAPOR HARMFUL. MAY CAUSE EYE AND SKIN IRRITATION.
Read carefully other cautions on the side/back panel.**

Back Panel

WARNING! Vapor harmful. May cause eye, skin, nose and throat irritation and may affect the central nervous system causing dizziness, headache or nausea. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal.

Contains a chemical which can cause cancer.

3M™ Perfect-It™ 3000 Ultrafina™ SE (Swirl Eliminator) is designed to quickly and effectively remove the leftover fine swirls from machine polishing on all types of automotive paints. The result is a swirl-free, high gloss finish.

Directions for Use: Polish using an air or electric buffer (1400-2000 rpm) equipped with a 3M™ Perfect-It™ Ultrafina™ Foam Polishing Pad.

1. Shake container well before using.
2. Work small areas, about two by two feet.

IMPORTANT: This product is designed to stay wet throughout the buffing process, and must be used wet to achieve a swirl free finish. Use enough polish so that a thin wet film of material remains over the entire surface after three to four passes with the buffer.

3. Begin buffing using medium pressure to remove machine polish swirls. Slowly reduce pressure on subsequent passes to achieve the best possible swirl free finish. After three to four passes with the buffer, remove the film residue using a 3M™ Perfect-It™ Detailing Cloth.
4. Keep used buffing pad in plastic bag to prevent contamination.

Note: If large areas are buffed before removing film residue, use Perfect-It™ Final Glaze (PN 06066, 06067) in conjunction with Perfect-It™ Hookit™ II DA Foam Applicator Pad 6" (PN 05732) to aid in film residue removal.

Contains: Water (7732-18-5); Hydrotreated Light Petroleum Distillates (64742-47-8); Dodecamethylcyclohexasiloxane (540-97-6); Aluminum Oxide (1344-28-1); Solvent Refined Heavy Paraffinic Petroleum Distillate (64741-88-4); Mineral Oil (64741-89-5); Decamethylcyclopentasiloxane (541-02-6); Formaldehyde (50-00-0).

VOC Regulated Material: Volatile Organic Compound (VOC) content less than 17%. Consult state and local regulations.

Precautions: Keep away from heat and flame. Use only with adequate ventilation. Avoid eye and skin contact. Avoid breathing vapors. Do not ingest. Wash thoroughly after handling. Close container after each use.

KEEP OUT OF REACH OF CHILDREN.

Suggested First Aid: Eye Contact: Flush eyes with large amounts of water. If signs/symptoms persist, get medical attention. **Skin Contact:** Wash affected area with soap and water. If signs/symptoms develop, get medical attention. **Inhalation:** Remove person to fresh air. If signs/symptoms develop, get medical attention. **If Swallowed:** Do not induce vomiting. Give victim two glasses of water. Never give anything by mouth to an unconscious person. Get immediate medical attention.

Warranty and Limited Remedy: 3M warrants that 3M products are free of defects in materials and manufacture at the time of shipment. If any product is defective in material or manufacture during the applicable warranty period, 3M's entire liability and purchaser's exclusive remedy will be, at 3M's option, either 1) replacement of product or 2) refund of the purchase price paid for each defective product, within a reasonable time after written notification of the defect and return of the defective product to 3M. THE WARRANTY STATED ABOVE IS MADE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTY OF MERCHANTABILITY, THE IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE, ANY IMPLIED WARRANTY ARISING OUT OF A COURSE OF DEALING OR OF PERFORMANCE, CUSTOM OR USAGE OF TRADE.

Limitation of Liability: Each 3M product is sold subject to the limitation that 3M will not be liable for any loss or damage arising from the 3M product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including warranty, contract, negligence or strict liability.

Additional Product Safety and Health Information Source:

Material Safety Data Sheet at 3M.com
3M Automotive Aftermarket Division
3M Center/Bldg. 223-6N-01

St. Paul, MN 55144-1000
1-877-666-2277 (1-877-MMM-CARS) or 651-737-6501
www.3M.com/automotive

3M, Perfect-It, Ultrafina and Hookit are trademarks of 3M Company.
Made in U.S.A.
© 3M 2006